


C011

INSERTS

multi-source system




C011 - module for source HIT-CE, HIT-TC-CE, HST-CRI



Order code	Source	Output	Socket	kg
C011-X1.110/... (*)	HIT - CE	1x20/35/70/100 W	G12	0,3
C011-S2.110/... (*)	HST - CRI	1x50/100 W	GX12	0,3
C011-X8.170/... (*)	HIT-TC-CE	1x20/35/70 W	G8,5	0,3

(*) Control gear necessary (is ordered separately see Accessories)



Optional types of reflectors

14 / 24 / 42 / 68

Example of order code assembly: [reflector with beam angle 24°](#)

[C011-X1.170/24T1](#)

PDF Optional types of glasses / filters (1,5)

page 256

T1 / T3 / F4 / F5 / F6 / F7 / FU / F1 / F2 / F3 / F8

Example of order code assembly: [filter for pastry](#)

[C011-X1.170/24F2](#)

PDF Accessories



BMHK
page 84

BMHE
page 84

BSWE
page 84



230V-50Hz

EXPLAINS

for order code assembly

1	2	3	4	5	6	7	8	9	10	
V	286	s	D2	BN	.	118	H	/	HD T3	. W1

1	GROUP AFTER ASSEMBLY	2	PRODUCT CODE	3	CONFIGURATION OF LIGHT FITTING
V	recessed	289	type marking of fitting	s	control gear on cable (part of fitting)
S	ceiling	5	type marking of insert	c	control gear on fitting (part of fitting)
N	wall	etc.		-	without control gear (or it is not part of fitting)
L	for track				
Z	pendant				
C	part of fitting				
4	TYPE OF LIGHT SOURCE (SOCKET)				
D2	TC-D, TC-T (G24d, GX24d)	S2	HST-CRI (GX12)	R1	QT-DE12 150W (R7s L=114,2)
D4	TC-DEL, TC-TEL (G24q, GX24q)	X1	HIT-CE (G12)	R7	QT-DE12 100W (R7s L=75)
G0	T16-R (2GX13)	X2	HIE-CE (E27)	Q0	QPAR16 (GU10)
G1	TC-L (2G11)	X2	HIPAR20, HIPAR30 (E27)	Q3	QR-LP111 (G53)
G2	TC-F (2G10)	X3	Mercury (E27)	Q5	QR-CBC51 (GU5,3)
G3	TC-S (G23)	X4	HST (E27)	E1	LED (E14)
G5	CFL-AR111 (GX53)	X5	HIPAR 111 (GX8,5)	E2	A60, A65 (E27)
G7	TC-SEL (2G7)	X6	HIT-DE-CE 70W (RX7s L=114,2)	E2	R50, R63, R80 (E27)
G8	TC-TEL (2G8)	X7	HIT-DE-CE 150W (RX7s L=132)	E2	QPAR20, 30, 38 (E27)
S1	HST-CRI (PG 12-1)	X8	HIT-TC-CE (G8,5)	E2	QT32 (E27)
TYPE OF LED LIGHT SOURCE		COLOR RENDERING INDEX			
L	LED plate Ra >82	I	warm white "interna" (2700 K)		
M	LED plate Ra >92	W	warm white (3000 K)		
C	LED COB Ra >82	C	cool white (4000 K)		
D	LED COB Ra >92	D	daylight (5000 K)		
5	TYPE OF CONTROL GEAR			6	NUMBER AND OUTPUT LIGHT SOURCE
BASIC CONFIGURATION		EMERGENCY CONFIGURATION			
B	inductive	N	emergency 1h	109	1 x 9 W
K	inductive compensated	H	emergency 3h	226	2 x 26 W
E	electronic undimmable	F	emergency 1h with autotest	318	3 x 18 W
M	electronic MULTIWATT	G	emergency 3h with autotest	170	1 x 70 W
A	electronic dimmable analog 1-10V	Z	electronic address module	115	1 x 150 W
D	electronic dimmable DALI	P	central battery system		
S	electronic dimmable DSI (ECO)				
C	electronic dimmable DSI (EXCEL) one4all				
T	electronic dimmable by button 230V				
R	electronic transformer 230V/12V				
I	LED driver (power factor 0,9)				
7	POSSIBILITIES OF CONNECTION	8	TYPE OF REFLECTOR		
D	2-pole terminal plate	HL	smooth	HP	smooth sanded
A	4-pole terminal plate	HK	smooth with cross louvre	1P	sanded one-side emission
B	5-pole terminal plate	HT	smooth with radial louvre	2P	sanded double-side emission
C	3-pole+2-pole terminal plate	HD	smooth with inner glass	TP	hammered
Z	2-pole + 4-pole terminal plate	HM	smooth metalized (Jordan)	AC	double-asymmetric with shade
H	3-pole Wieland	HA	smooth with asymmetric insert	12	beam angle 12°
J	3-pole 5kV Wieland	1H	smooth one-side emission	15	beam angle 15°
K	3-pole Wieland 2x	2H	smooth double-side emission	20	beam angle 20°
L	5-pole Wieland	FS	facet	24	beam angle 24°
M	5-pole Wieland 2x	FK	facet with cross louvre	30	beam angle 30°
O	3-pole Wago	FT	facet with radial louvre	36	beam angle 36°
P	5-pole Wago	ML	matt	60	beam angle 60°
9	TYPE OF COVER GLASS / FILTER				
T1	tempered glass - clear	E1	acrylic glass for information plate - clear	F5	red filter
T2	tempered glass - raster	E3	acrylic glass for information plate - opal	F6	green filter
T3	tempered glass - opal	FU	UV filter	F7	yellow filter
V1	convex glass - clear	F1	food filter for meat and smoked-meat products	F8	food filter for fruit and vegetables
V3	convex glass - opal	F2	food filter for pastry		
A1	acrylic glass - clear	F3	food filter for fish and ice cream		
A3	acrylic glass - opal	F4	blue filter		
10	COLOURED FINISH				
W1	white gloss	B3	black structure	C2	chromium matt
W2	white matt	S1	silver gloss	CY	chromium yellow
W3	white structure	S2	silver matt	SB	S1 / B3 - combination
B1	black gloss	S3	silver structure	WB	W1 / B3 - combination
B2	black matt	C1	chromium gloss		